


Little GIANT Pump Company

20E SERIES





Features

- Handles liquids and solid waste materials up to 3/4" diameter.
- Cast iron pump housing with protective epoxy coating for corrosion resistance
- Oil-filled motor housing for lifetime lubrication and rapid heat dissipation
- Stainless steel screws, bolts and seal assembly
- Mechanical seal (stainless steel spring, nitrile parts, carbon and ceramic faces) for long life and reliability
- 2 HP ball bearing motor
- Thermal overload protection on single phase units
- Capacitor & power cord isolated from oil-filled motor housing for ease of field maintenance
- Brass impeller
- Exclusion Seal




Little Giant Pump Co.

20E SERIES SUMP EFFLUENT PUMP



Specifications

MODEL NO.	ITEM NO.	LIST/ CERT.	HP	VOLTS	Hz	Ph	AMPS R	MOTOR RPM	PUMP PERFORMANCE (Gallons Per Minute @ Height)						DISCH. SIZE (Dia. In.)	SHUT OFF (Ft.)	PSI	CRD LGTH (Ft.)	WEIGHT (Lbs.)	DIMENSIONS H x L x W (In.)
									10'	20'	40'	60'	80'	100'						
20E-CIM	520200	UL/CSA	2	230	60	1	16.4	2900	N/R	135	110	89	62	19	2" FNPT	110	47.6	20	92	17.08 x 12.92 x 8.42
20E-CIM	520225	UL/CSA	2	200-208	60	3	13.1	3100	N/R	135	110	89	62	19	2" FNPT	110	47.6	20	92	17.08 x 12.92 x 8.42
20E-CIM	520250	UL/CSA	2	230	60	3	11.6	3100	N/R	135	110	89	62	19	2" FNPT	110	47.6	20	92	17.08 x 12.92 x 8.42
20E-CIM	520275	UL/CSA	2	460	60	3	5.7	3200	N/R	135	110	89	62	19	2" FNPT	110	47.6	20	92	17.08 x 12.92 x 8.42



Construction

Cover	Epoxy Coated Cast Iron
Motor Housing	Epoxy Coated Cast Iron
Impeller Material	Red Brass
Impeller Type	Vortex
Volute	Epoxy Coated Cast Iron
Power Cord	14/3, SOW
Mechanical Shaft Seal	Carbon/Ceramic
Fasteners	Stainless Steel
Shaft	Stainless Steel
Bearings	Upper and Lower Ball Bearings

For technical advice or service please take your pump into your local pump service center.

To order pump or parts or for pricing please go to the following links :

[Little Giant Pumps Home >>](#)

[Little Giant Pumps stock list >>](#)