JABSCO® PUMPS

Self-Priming Macerator Pump Units

MODEL: 17260 - Series

Product Data



17260-0003 - 12 Volt 17260-0023 - 24 Volt 17260-0033 - 32 Volt

DESIGN FEATURES

Pump:

Self-Priming Flexible Impeller

with Stainless Steel Wearplates

Impeller:

Jabsco Nitrile Compound

Macerator:

Stainless Steel Cutter

Plate reduces particle size to 1/8"

maximum

Seal:

Lip Type

Ports:

Model 17260-0003

Inlet — 1½" External Pipe Thread Outlet — ¾" Garden Hose Thread

Model 17260-0013

Inlet — 3" Slip-on Hose Outlet — 34" Garden Hose Thread


Permanent Magnet Type, Fully En-

closed, with Stainless Steel Shaft

Weight:

Motor:

7 lbs. (3.2 kg.) Approx.



17260-0013 - 12 Volt

APPLICATION INFORMATION

The 17260 series D. C. JABSCO macerator pump unit is the ideal answer to holding tank pump out problems for boats and recreational vehicles. The macerator section grinds waste down to a particle size of 1/8" maximum so it can easily be pumped through a garden hose discharge line. The pump section is self priming, permitting the unit to be mounted above the tank in a convenient location.


Empties most recirculating toilets in less than two minutes; empties a 30 gallon holding tank in less than 5 minutes.


The 17260 series waste pump will macerate and pump all waste and tissue normally found in marine and recreational vehicle waste systems. It will NOT handle hard solid objects, sanitary napkins or rags.


JABSCO PRODUCTS ITT

www.PumpAgents.com


TYPICAL MARINE USES









TYPICAL RECREATIONAL VEHICLE USES





HOLDING TANK PUMP OUT - EXTERNAL CONNECTION



FROM RETENTION TANK TO MAIN HOLDING TANK