



A WILO BRAND

MOTORPUMP™ — 3500 RPM

304SS, 60 Hz, 1.5 X 1.25 X 6.3 NPT


342 J56



Drinking Water
System Component
NSF/ANSI 61
ALSO CLFD IN
ACCORDANCE WITH
NSF/ANSI 372


Motor Dimensions NEMA J56 Frame 3500 RPM							
HP	Type	3 Phase			1 Phase		
		L	O	AB	L	O	AB
1.5	ODP	9.04	6.46	3.32	10.31	8.37	3.25
2.0	ODP	9.44	6.46	3.32	10.31	8.37	3.25
3.0	ODP	10.22	6.46	3.32	10.84	8.37	3.25
5.0	ODP	11.37	6.50	3.25	-	-	-
1.5	TEFC	11.06	7.33	5.87	10.59	8.10	5.31
2.0	TEFC	11.85	7.33	5.87	11.77	8.10	5.31
3.0	TEFC	13.03	7.33	5.87	12.16	8.10	5.31
5.0	TEFC	15.37	9.22	6.70	-	-	-

5HP 1ph not available. 5HP TEFC has 4.50" rigid base and does not require sub-base. Motors are Standard Efficient with the exception of 5HP ODP and 2-5HP 3 phase TEFC, which are Premium Efficient.



Construction Options

Key	Part Name	Stainless
1	Case	304SS
2	Impeller	PPS-GF
24	Retainer, Cap Screw	304SS
40	Flinger	Neoprene
53	Base	Steel
71	Adapter	304SS
73	Gasket, Case	Buna
89	Mech Seal, Type 21 BN-CARB/SIL	Standard
H	Plug, Drain	304SS






A WILO BRAND

MOTORPUMP™ — 3500 RPM

304SS, 60 Hz, 1.5 X 1.25 X 6.3 NPT

342 J56

Performance Curve




MOTORPUMP™ — 3500 RPM

304SS, 60 Hz, 1.5 X 1.25 X 6.3 NPT

342 J56

Parts



Key	Part Name	Part Number	
1	Case 342, Stainless, 1.50 X 1.25 NPT, Stn plugs	3301255X	
2	Impeller 342, PPS-GF, Specify Dia., 6.30 Max, 7/16" Thrd	3301120	
4	Motor chart, J56 3.5" Rigid Base	See Chart	
	Motor chart, J56 4.5" Rigid Base	See Chart	
24*	Retainer, Cap screw	137.003.152	
40*	Flinger, Neoprene	104.000.171	
53**	Base, Steel	137.001.130	
71	Adapter, Stainless, Stn plug	3301210X	
73*	O-ring, Case, Buna	3301256	
89*	Seal, 5/8", Type 21, BN-CARB/SIL with retainer	137.002.401	
	Seal, 5/8", Type 21, EPDM CARB/SIL with retainer	137.002.258	
	Seal, 5/8", Type 21, VN-CARB/SIL with retainer	137.002.390	
	Seal, 5/8", Type 21, VN-SIL/SIL with retainer	137.002.406	
KIT		3 Phase:	1 Phase:
	Repair Kit, 5/8" BN-CARB/SIL Seal	3301265	3301261
	Repair Kit, 5/8" EPDM-CARB/SIL Seal	3301266	3301262
	Repair Kit, 5/8" VN-CARB/SIL Seal	3301267	3301263
	Repair Kit, 5/8" VN-SIL/SIL Seal	3301268	3301264

* Denotes components included in repair kit.

** Not required on 4.50" rigid base motors.

Use 3 phase kit on 2-3 HP 1 phase motors.

Motor Charts

