

MACERATOR



MARINE PRODUCT DATA SHEET

OEM: 3200-010
AFTERMARKET: 3200-011

Designed specifically for sanitation waste and fish box evacuation, SHURflo's Macerator pump features a premium impeller design with run-dry capability and includes our seamless shell e-coated motor with o-ring sealed and bells and sealed manual turn key. SHURflo's unique dual blade and housing construction ensures problem free pumping, providing superior performance in harsh marine environments.

PUMP

Type: Centrifugal Pump
 Inlet Port: 1 1/2" Barb / 1 1/2 NPT
 Outlet Port: 1.0" Barb
 Liquid: 130 °F [54 °C] Max
 Prime: 4 feet [1.21 M]
 Inlet PSI: 30 PSI [2.1 Bar] Max
 Run Dry: Yes - 3 Minutes

TYPICAL APPLICATIONS

24V DC Macerator Pump Designed specifically for sanitation waste and fish box evacuation. For other applications, contact SHURflo.

ELECTRICAL

Motor: 24VDC Permanent Magnet, Intermittent Duty
 Protection: Thermal Overload, Automatic Restart
 Leads: 14 AWG, 17 1/2" [44 cm] Pos +, 18 1/2" [47 cm] Neg -
 Fuse: 15 Amp Recommended
 Control: No Control

MATERIALS

Housing: Phenolic - Nylon
 Impeller: Polyurethane
 Hardware: Stainless Steel

APPROVALS

Ignition Protected, CE, ISO 8846

WARRANTY

1 Year Limited Warranty
 See SB-1050 For Full Warranty Details


SHIPPING

Net Weight (Boxed): 6 Lb [2.7 Kg] each
 Carton Weight: 36 Lb [16.3 Kg]
 Pumps in Carton: 6
 Carton Size: 24"L x 18"W x 6"H [61 cm x 46 cm x 15 cm]

RELATED DOCUMENTS


Catalog: MS-030-140
 Installation Manual: 911-566
 Maintenance: 911-566
 Applications Spec Guide: MS-020-005
 Warranty: SB-1050

Replacement Kits




PERFORMANCE @ 24V DC

PRESSURE		FLOW		CURRENT
BAR	PSI	GPM	LPM	AMPS
0.0	0	11	41.6	5.9
0.27	4	8	30.3	7.1
0.55	8	7	26.4	7.4
0.82	12	5	18.9	8.0
1.10	18	0.0	0.0	9.1



DIMENSIONS [mm]



For technical advice or service please take your pump into your local pump service center.
To order pump or parts or for pricing please go to the following links :

[Shurflo Pumps Home >>](#)

[Shurflo Pumps stock list >>](#)