



## MARINE PRODUCT DATA SHEET

**OEM:** 357-103-00 (1100 GPH)  
**AFTERMARKET:** 357-103-10 (1100 GPH)

Everything you are looking for in a livewell pump. Our tough, high density nylon housing and heavy duty water cooled motor give the SHURflo Livewell Pumps unparalleled reliability. Patented anti-airlock feature allows the pump to clear trapped air in rough water or when the boat is anchored. The dual port fitting allows for easy washdown pump connections. All Piranha Series Livewell Pumps have a removable cartridge for easy cleaning.

### TYPICAL APPLICATIONS

12V DC Bait/Livewell Application. For other applications, contact SHURflo.

### PUMP

Type:	Centrifugal Pump
Output Port:	1 1/8" Barb
Intake Port:	3/4" NPT-M
Wash Down Port:	1/2" NPT-F
Liquid:	130 °F [54 °C] Max
Prime:	Flooded Inlet
Inlet PSI:	30 PSI [2.1 Bar] Max
Run Dry:	No

### ELECTRICAL

Motor:	12VDC Permanent Magnet, Continuous Duty
Protection:	External Fuse
Leads:	6 ft (1.8M) Tinned, 16 AWG
Fuse:	6 Amp Recommended
Control:	No Control

### MATERIALS

Housing:	High Strength Nylon
Impeller:	High Strength Nylon
Hardware:	Stainless Steel

### APPROVALS

Ignition Protected, CE, ISO 8846

### WARRANTY

3 Year Limited Warranty  
 See SB-1050 For Full Warranty Details

### SHIPPING

Net Weight (Boxed):	1.3 Lb (0.59 Kg) each
Carton Weight:	31 Lb [ 14 Kg]
Pumps in Carton:	24
Carton Size:	24"L x 18"W x 11" H [61 cm x 46 cm x 28 cm]

### RELATED DOCUMENTS

Catalog:	MS-030-140
Installation Manual:	911-611-00
Maintenance:	911-611-00
Applications Spec Guide:	MS-020-005
Warranty:	SB-1050


### Replacement Kit

94-620-00




PERFORMANCE @ 13.6V DC

PRESSURE		FLOW		CURRENT
METERS	FT OF HEAD	GPH	LPH	AMPS
0.0	0	1185	4485	4.50
1.2	4	780	2952	4.12
1.8	6	630	2384	4.07
2.4	8	510	1930	3.93
4.6	15	0.0	0.0	3.27



DIMENSIONS [mm]



---

For technical advice or service please take your pump into your local pump service center.

To order pump or parts or for pricing please go to the following links :

[Shurflo Pumps Home >>](#)

[Shurflo Pumps stock list >>](#)